



PURELL™ FOOD PROCESSING SURFACE SANITIZER - FINISHED PRODUCT

Version 1.0

SDS Number: 400000005224

Revision Date: 02/06/2017

SECTION 1. IDENTIFICATION

Product name

PURELL™ FOOD PROCESSING SURFACE SANITIZER --

FINISHED PRODUCT USE ONLY

Manufacturer or supplier's details

Company name of supplier

: GOJO Industries, Inc.

Address

: One GOJO Plaza, Suite 500

Akron, Ohio 44311

Telephone

1 (330) 255-6000

Emergency telephone

number

1-800-424-9300 CHEMTREC

Recommended use of the chemical and restrictions on use

Recommended use

: Disinfectants and general biocidal products

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids

Category 3

GHS label elements

Hazard pictograms



Signal word

Warning

Hazard statements

: H226 Flammable liquid and vapour.

Precautionary statements

Prevention:

P210 Keep away from heat/sparks/open flames/hot surfaces. -

No smoking.

P233 Keep container tightly closed. P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

Response:

P370 + P378 In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam for extinction.

Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.



Version 1.0

SDS Number: 400000005224

Revision Date: 02/06/2017

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethyl Alcohol	64-17-5	>= 20 - < 35
Isopropyl Alcohol	67-63-0	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

General advice

: In the case of accident or if you feel unwell, seek medical

advice immediately.

If inhaled

: If sensitivity occurs, remove to fresh air. If symptoms persist, call a physician.

In case of skin contact

If sensitivity occurs, wash with soap and water.

Get medical attention if irritation develops and persists.

In case of eye contact

In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Seek medical attention.

If swallowed

: Rinse mouth with water. Obtain medical attention.

Protection of first-aiders

: First Aid responders should pay attention to self-protection

and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media

: Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing media

High volume water jet

media

Specific hazards during

firefighting

Do not use a solid water stream as it may scatter and spread

fire.

Cool closed containers exposed to fire with water spray.

Flash back possible over considerable distance.

May form explosive mixtures in air.

Exposure to decomposition products may be a hazard to



Version 1.0

SDS Number: 400000005224

Revision Date: 02/06/2017

health.

Specific extinguishing

methods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.
Use water spray to cool unopened containers.

Further information

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment

for firefighters

! In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Use personal protective equipment.

Ensure adequate ventilation.
Remove all sources of ignition.

Material can create slippery conditions.

Environmental precautions

: Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Methods and materials for containment and cleaning up

Non-sparking tools should be used.

Soak up with inert absorbent material.

Keep in suitable, closed containers for disposal.

Clean contaminated floors and objects thoroughly while

observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling

: Avoid contact with eyes.

Conditions for safe storage

No smoking.

Take measures to prevent the build up of electrostatic charge. Keep container tightly closed in a dry and well-ventilated place. Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Componente man non	tripitate e e i i i i i i i i i i i i i i i i i			
Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethyl Alcohol	64-17-5	TWA	1,000 ppm 1,900 mg/m3	NIOSH REL



Version 1.0

SDS Number: 400000005224

Revision Date: 02/06/2017

		TWA	1,000 ppm 1,900 mg/m3	OSHA Z-1
		STEL	1,000 ppm	ACGIH
Isopropyl Alcohol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Samplin g time	Permissible concentration	Basis
Isopropyl Alcohol	67-63-0	Acetone	Urine	End of shift at end of workwee k	40 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection

: No personal respiratory protective equipment normally

required.

Eye protection

: No special measures necessary provided product is used

correctly.

Skin and body protection

No special measures necessary provided product is used

correctly.

Protective measures

Choose body protection in relation to its type, to the

concentration and amount of dangerous substances, and to

the specific work-place.

Hygiene measures

Handle in accordance with good industrial hygiene and safety

practice.

Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

Colour

: colourless

Odour

: alcohol-like



Version 1.0

SDS Number: 400000005224

Revision Date: 02/06/2017

Odour Threshold

No data available

рН

: 12.6 - 12.9, (24 °C)

Melting point/freezing point

No data available

Initial boiling point and boiling \$ 77 °C

range

Flash point

: 30.8 °C

Method: Pensky-Martens closed cup

Evaporation rate

: No data available

Flammability (solid, gas)

: Not applicable

Upper explosion limit

: 19 %(V)

Lower explosion limit

: 3.3 %(V)

Vapour pressure

: No data available

Relative vapour density

: No data available

Relative density

: No data available

Density

: 0.952 g/cm3

Solubility(ies)

Water solubility

: soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature

a not determined

Thermal decomposition

The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, dynamic

2.6 mPa.s

Explosive properties

Not explosive

Oxidizing properties

The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity

: Not classified as a reactivity hazard.

Possibility of hazardous

reactions

: Vapours may form explosive mixture with air.

Conditions to avoid

: Heat, flames and sparks.



PURELL™ FOOD PROCESSING SURFACE SANITIZER - FINISHED PRODUCT

Version 1.0

SDS Number: 400000005224

Revision Date: 02/06/2017

Incompatible materials

Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Skin contact Eye contact

Acute toxicity

Not classified based on available information.

Components:

Ethyl Alcohol:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity

: LC50 (Rat): 124.7 mg/l Exposure time: 4 h Test atmosphere: vapour

Isopropyl Alcohol:

Acute oral toxicity

: LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity

: LC50 (Rat): 72.6 mg/l Exposure time: 4 h Test atmosphere: vapour

Acute dermal toxicity

LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Components:

Ethyl Alcohol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Isopropyl Alcohol:

Species: Rabbit

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Ethyl Alcohol:



PURELL™ FOOD PROCESSING SURFACE SANITIZER - FINISHED PRODUCT

Version 1.0

SDS Number: 400000005224

Revision Date: 02/06/2017

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Method: OECD Test Guideline 405

Isopropyl Alcohol: Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Components:

Ethyl Alcohol:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse Result: negative

Isopropyl Alcohol:

Test Type: Buehler Test Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Germ cell mutagenicity

Not classified based on available information.

Components:

Ethyl Alcohol:

Genotoxicity in vitro

Test Type: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo

Test Type: Rodent dominant lethal test (germ cell) (in vivo)

Test species: Mouse

Application Route: Ingestion

Result: negative

Isopropyl Alcohol:

Genotoxicity in vitro

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay)

Test species: Mouse

Application Route: Intraperitoneal injection

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Isopropyi Alcohol:



Version 1.0

SDS Number: 400000005224

Revision Date: 02/06/2017

Species: Rat

Application Route: inhalation (vapour)

Exposure time: 104 weeks

Method: OECD Test Guideline 451

Result: negative

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

NTP

No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Ethyl Alcohol:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study

Species: Mouse

Application Route: Ingestion Method: OECD Test Guideline 416

Result: negative

Isopropyl Alcohol:

Effects on fertility

Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal

development

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

Components:



PURELL™ FOOD PROCESSING SURFACE SANITIZER - FINISHED PRODUCT

Version 1.0

SDS Number: 400000005224

Revision Date: 02/06/2017

Isopropyl Alcohol:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Ethyl Alcohol:

Species: Rat

NOAEL: 2,400 mg/kg Application Route: Ingestion

Exposure time: 2 y

Isopropyl Alcohol:

Species: Rat NOAEL: 5000 ppm

Application Route: inhalation (vapour)

Exposure time: 104 w

Method: OECD Test Guideline 413

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethyl Alcohol:

Toxicity to fish

: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 48 h

Toxicity to algae

EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

aquatic invertebrates (Chronic toxicity)

Toxicity to daphnia and other SONOEC (Daphnia magna (Water flea)): 9.6 mg/l

Exposure time: 9 d

Toxicity to bacteria

: EC50 (Photobacterium phosphoreum): 32.1 mg/l

Exposure time: 0.25 h

Isopropyl Alcohol:

Toxicity to fish

LC50 (Pimephales promelas (fathead minnow)): 10,000 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other 💢 EC50 (Daphnia magna (Water flea)): > 10,000 mg/l

Exposure time: 24 h



Version 1.0

SDS Number: 400000005224

Revision Date: 02/06/2017

Toxicity to bacteria

EC50 (Pseudomonas putida): > 1,050 mg/l

Exposure time: 16 h

Persistence and degradability

Components:

Ethyl Alcohol:

Biodegradability

Result: Readily biodegradable.

Biodegradation: 84 % Exposure time: 20 d

Isopropyl Alcohol:

Biodegradability

: Result: rapidly degradable

Bioaccumulative potential

Components:

Ethyl Alcohol:

Partition coefficient: n-

octanol/water

log Pow: -0.35

Isopropyl Alcohol:

Partition coefficient: n-

octanol/water

log Pow: 0.05

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of

Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a

Class I or Class II ODS as defined by the U.S. Clean Air Act

Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues

Dispose of in accordance with local regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

UN/ID No.

: UN 1987

Proper shipping name

: Alcohols, n.o.s.

(Ethanol, Propan-2-ol)



Version 1.0 SDS Number: 400000005224 Revision Date: 02/06/2017

Class # 3

Packing group III
Packing instruction (cargo 366

aircraft)

Packing instruction 355

(passenger aircraft)

IMDG-Code

UN number ; UN 1987

Proper shipping name ALCOHOLS, N.O.S.

(Ethanol, Propan-2-ol)
Class 3

Packing group : III Labels : 3

EmS Code : F-E, S-D Marine pollutant : no

Marine pollutant
National Regulations

49 CFR

UN/ID/NA number : UN 1987

Proper shipping name : Alcohols, n.o.s.

(Ethanol, Propan-2-ol)

Class 3
Packing group III
ERG Code 127

Marine pollutant : no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

0	CACALO	Component PO	Calculated product RQ
Components	CAS-No.	(lbs)	(lbs)
Potassium Hydroxide	1310-58-3	1000	*

^{*:} Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Fire Hazard

SARA 302 : No chemicals in this material are subject to the reporting

requirements of SARA Title III, Section 302.

SARA 313 : The following components are subject to reporting levels

established by SARA Title III, Section 313:

Isopropyl Alcohol 67-63-0 1.42 %

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).



Version 1.0

SDS Number: 400000005224

Revision Date: 02/06/2017

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethyl Alcohol

64-17-5

29.4 %

Isopropyl Alcohol

67-63-0

1.42 %

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

Potassium Hydroxide

1310-58-3

0.35 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3

117.3:	wing riazardous Chemicais	are listed under the	e U.S. Cleanvvater Act,	Section 311, Table
117.0.	Potassium Hydroxide	1310-58-3	0.35 %	
Massach	usetts Right To Know			
	Ethyl Alcohol		64-17-5	20 - 35 %
	Isopropyl Alcohol		67-63-0	1 - 5 %
Massach	usetts Right To Know			
	Ethyl Alcohol		64-17-5	20 - 30 %
	Isopropyl Alcohol		67-63-0	1 - 5 %
Pennsylv	vania Right To Know			
	Water (Aqua)		7732-18-5	70 - 90 %
	Ethyl Alcohol		64-17-5	20 - 35 %
	Isopropyl Alcohol		67-63-0	1 - 5 %
	Potassium Hydroxi	de	1310-58-3	0.1 - 1 %
Pennsylv	/ania Right To Know			
	Water (Aqua)		7732-18-5	70 - 90 %
	Ethyl Alcohol		64 - 17-5	20 - 30 %
	Isopropyl Alcohol		67 - 63-0	1 - 5 %
	Potassium Hydroxid	de	1310-58-3	0.1 - 1 %
New Jers	sey Right To Know			
	Water (Aqua)		7732-18-5	70 - 90 %
	Ethyl Alcohol		64-17-5	20 - 35 %
	Isopropyl Alcohol		67-63-0	1 - 5 %
New Jers	sey Right To Know			

California Prop 65

Water (Aqua)

Ethyl Alcohol

Isopropyl Alcohol

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

7732-18-5

64-17-5

67-63-0

70 - 90 %

20 - 30 %

1-5%



Version 1.0

SDS Number: 400000005224

Revision Date: 02/06/2017

The components of this product are reported in the following inventories:

CH INV

: On the inventory, or in compliance with the inventory

TSCA

: On TSCA Inventory

DSL

: All components of this product are on the Canadian DSL.

AICS

: On the inventory, or in compliance with the inventory

NZIoC

: On the inventory, or in compliance with the inventory

ENCS

: On the inventory, or in compliance with the inventory

ISHL

: On the inventory, or in compliance with the inventory

KECI

: On the inventory, or in compliance with the inventory

PICCS

: On the inventory, or in compliance with the inventory

IECSC

: On the inventory, or in compliance with the inventory


Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information

NFPA:



Special hazard.

HMIS III:

HEALTH	0
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date

02/06/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to



PURELLIM FOOD PROCESSING SURFACE SANITIZER

Version 1.0

SDS Number: 40000005224

Revision Date: 02/06/2017

the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.