#990



MICRELL® Antibacterial Lotion Soap

ersion 1.0	SDS Number: 400000000278	Revision Date: 08/21/2017
		GJ975212
ECTION 1. IDENTIFICATION		00010212
Product name	: MICRELL® Antibacterial Lotio	n Soap
Manufacturer or supplier's	details	
Company name of supplier	: GOJO Industries, Inc.	
Address	: One GOJO Plaza, Suite 500 Akron, Ohio 44311	
Telephone	: 1 (330) 255-6000	
Emergency telephone number	: 1-800-424-9300 CHEMTREC	
Recommended use of the c	hemical and restrictions on use	
Recommended use	: Antibacterial Soap	
Restrictions on use	: This is a personal care or cosr consumers and other users un foreseeable use. Cosmetics ar specifically defined by regulation exempt from the requirement of While this material is not consi contains valuable information of proper use of the product for in as well as unusual and uninter spills. This SDS should be retain employees and other users of	nder normal and reasonably nd consumer products, ons around the world, are of an SDS for the consumer. idered hazardous, this SDS critical to the safe handling and ndustrial workplace conditions nded exposures such as large ained and available for

intended-use guidance, please refer to the information

provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification Eye irritation	: Category 2A
GHS label elements Hazard pictograms	
Signal word	: Warning
Hazard statements	: H319 Causes serious eye irritation.
Precautionary statements	: Prevention:



Version 1.0	SDS Number: 40000000278	Revision Date: 08/21/2017
		ES: Rinse cautiously with water ontact lenses, if present and easy
Other hazards		

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (%)
Ethanolamine	141-43-5	>= 1 - < 5
Chloroxylenol	88-04-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if irritation develops and persists.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	:	If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	Causes serious eye irritation.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or
		carbon dioxide.



Version 1.0	SD	S Number: 400000000278	Revision Date: 08/21/2017
Unsuitable extinguishing media	:	None known.	
Hazardous combustion products	-	Carbon oxides Metal oxides Sulphur oxides Nitrogen oxides (NOx)	
Specific extinguishing methods		Use extinguishing measures that a circumstances and the surrounding Use water spray to cool unopened	environment.
Further information		Collect contaminated fire extinguish must not be discharged into drains. Fire residues and contaminated fire be disposed of in accordance with	extinguishing water must
Special protective equipment for firefighters		In the event of fire, wear self-contain Use personal protective equipment	

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 For personal protection see section 8. Do not swallow. Avoid contact with eyes. Keep container closed when not in use.
Conditions for safe storage	 Keep in properly labelled containers. Keep container tightly closed in a dry and well-ventilated place. Store in accordance with the particular national regulations.



Version 1.0

SDS Number: 40000000278

Revision Date: 08/21/2017

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanolamine	141-43-5	TWA	3 ppm	ACGIH
		STEL	6 ppm	ACGIH
		TWA	3 ppm 8 mg/m3	NIOSH REL
		ST	6 ppm 15 mg/m3	NIOSH REL
		TWA	3 ppm 6 mg/m3	OSHA Z-1
		STEL	6 ppm 15 mg/m3	OSHA P0
		TWA	3 ppm 8 mg/m3	OSHA P0

Personal protective equipment

Respiratory protection	: No personal respiratory protective equipment normally required.
Eye protection	 No special measures necessary provided product is used correctly. Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: No special measures necessary provided product is used correctly.
Protective measures	 Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Ensure that eye flushing systems and safety showers are located close to the working place.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, colourless, yellow
Odour	: floral
Odour Threshold	: No data available



Version 1.0	SDS Number: 400000000278	Revision Date: 08/21/2017
рН	: 7.0 - 10.0, (20 °C)	
Melting point/freezing point	: No data available	
Initial boiling point and boiling range	: 91 °C	
Flash point	: >100 °C	
Evaporation rate	: No data available	
Flammability (solid, gas)	: Not applicable	
Flammability (liquids)	:	
Upper explosion limit	: No data available	
Lower explosion limit	: No data available	
Vapour pressure	: No data available	
Relative vapour density	: No data available	
Density	: 1.0261 g/cm3	
Solubility(ies) Water solubility	: soluble	
Partition coefficient: n- octanol/water	: Not applicable	
Auto-ignition temperature	: No data available	
Thermal decomposition	: The substance or mixture is not	classified self-reactive.
Viscosity Viscosity, kinematic	: 1000 - 20000 mm2/s (20 °C)	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixture is not	classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Conditions to avoid	: None known.
Incompatible materials	: Strong oxidizing agents
Hazardous decomposition	: No hazardous decomposition products are known.



Version 1.0

SDS Number: 40000000278

Revision Date: 08/21/2017

products

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure Inhalation Eye contact Skin contact

Acute toxicity

Not classified based on available information.

Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate : > 200 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
Ethanolamine:	
Acute oral toxicity	: LD50 (Rat): 1,515 mg/kg
Acute inhalation toxicity	 Acute toxicity estimate : 11 mg/l Test atmosphere: vapour Method: Expert judgement Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI
Acute dermal toxicity	: LD50 (Rabbit): 1,025 mg/kg
Chloroxylenol: Acute oral toxicity	 Acute toxicity estimate : 500 mg/kg Method: Expert judgement Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI
Acute inhalation toxicity	: LC50 (Rat): > 6.29 mg/l Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Product:

Assessment: Not irritating when applied to human skin. Result: No skin irritation



Version 1.0

SDS Number: 40000000278

Revision Date: 08/21/2017

Components:

Ethanolamine: Species: Rabbit Result: Corrosive after 3 minutes to 1 hour of exposure

Chloroxylenol:

Result: Skin irritation Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Ethanolamine: Species: Rabbit Result: Irreversible effects on the eye

Chloroxylenol: Result: Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information.

Product:

Result: Does not cause skin sensitisation. Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

Components:

Ethanolamine: Test Type: Maximisation Test (GPMT) Exposure routes: Skin contact Species: Guinea pig Result: negative

Chloroxylenol:

Assessment: Probability or evidence of skin sensitisation in humans Remarks: Based on harmonised classification in EU regulati on 1272/2008, Annex VI

Germ cell mutagenicity

Not classified based on available information.

Components: Ethanolomino:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative
Genotoxicity in vivo	 Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Test species: Mouse Application Route: Ingestion



-	SDS Number: 40000000278	Revision Date: 08/21/2
	Method: OECD Test Guideline Result: negative	474
Chloroxylenol: Genotoxicity in vitro	: Test Type: Bacterial reverse mo Result: negative	utation assay (AMES)
Carcinogenicity Not classified based on a	available information	
IARC	No component of this product pres equal to 0.1% is identified as prob human carcinogen by IARC.	
OSHA	No component of this product presequal to 0.1% is identified as a carcinogen by OSHA.	
NTP	No component of this product presequal to 0.1% is identified as a known by NTP.	
Ethanolamine:	: Test Type: Two-generation rep	roduction toxicity study
<u>Components:</u> Ethanolamine: Effects on fertility	: Test Type: Two-generation rep Species: Rat Application Route: Ingestion	roduction toxicity study
Ethanolamine:	 Species: Rat Application Route: Ingestion Result: negative Test Type: Embryo-foetal devel Species: Rat Application Route: Ingestion Method: OECD Test Guideline 	lopment
Ethanolamine: Effects on fertility Effects on foetal	Species: Rat Application Route: Ingestion Result: negative : Test Type: Embryo-foetal devel Species: Rat Application Route: Ingestion	lopment
Ethanolamine: Effects on fertility Effects on foetal development STOT - single exposure	 Species: Rat Application Route: Ingestion Result: negative Test Type: Embryo-foetal devel Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative 	lopment
Ethanolamine: Effects on fertility Effects on foetal development STOT - single exposure Not classified based on a	 Species: Rat Application Route: Ingestion Result: negative Test Type: Embryo-foetal devel Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative 	lopment
Ethanolamine: Effects on fertility Effects on foetal development STOT - single exposure Not classified based on a Components:	 Species: Rat Application Route: Ingestion Result: negative Test Type: Embryo-foetal devel Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative 	lopment
Ethanolamine: Effects on fertility Effects on foetal development STOT - single exposure Not classified based on a	 Species: Rat Application Route: Ingestion Result: negative Test Type: Embryo-foetal devel Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative e available information. 	lopment
Ethanolamine: Effects on fertility Effects on foetal development STOT - single exposure Not classified based on a <u>Components:</u> Ethanolamine: Assessment: May cause	Species: Rat Application Route: Ingestion Result: negative : Test Type: Embryo-foetal devel Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative e available information.	lopment
Ethanolamine: Effects on fertility Effects on foetal development STOT - single exposure Not classified based on a <u>Components:</u> Ethanolamine:	Species: Rat Application Route: Ingestion Result: negative : Test Type: Embryo-foetal devel Species: Rat Application Route: Ingestion Method: OECD Test Guideline Result: negative e available information.	lopment



Version 1.0

SDS Number: 40000000278

Revision Date: 08/21/2017

Repeated dose toxicity

Components:

Ethanolamine: Species: Rat NOAEL: 150 mg/m3 Application Route: inhalation (dust/mist/fume) Exposure time: 28 d

Chloroxylenol:

Species: Rabbit LOAEL: 180 mg/kg Application Route: Skin contact Exposure time: 90 d

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:	
Ethanolamine: Toxicity to fish	: LC50 (Cyprinus carpio (Carp)): 349 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 65 mg/l Exposure time: 48 h
Toxicity to algae	: ErC50 (Selenastrum capricornutum (green algae)): 2.8 mg/l Exposure time: 72 h
	NOEC (Scenedesmus capricornutum (fresh water algae)): 1 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Oryzias latipes (Orange-red killifish)): 1.24 mg/l Exposure time: 41 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.85 mg/l Exposure time: 21 d
Toxicity to bacteria	: EC50 (Pseudomonas putida): 110 mg/l Exposure time: 17 h
Chloroxylenol: Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 7.7 mg/l Exposure time: 48 h
M-Factor (Acute aquatic	: 1



rsion 1.0	SDS Number: 40000000278	Revision Date: 08/21/201
toxicity)		
Persistence and degrada	bility	
Components:		
Ethanolamine: Biodegradability	: Result: Readily biodegradable. Biodegradation: > 90 % Exposure time: 21 d	
Bioaccumulative potentia	I	
<u>Components:</u> Ethanolamine:		
Partition coefficient: n- octanol/water	: log Pow: -1.91	
Chloroxylenol: Partition coefficient: n- octanol/water	: log Pow: 3.27	
Mobility in soil No data available		
Other adverse effects No data available		
Product:		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec	
Remarks	This product neither contains, n Class I or Class II ODS as defin Section 602 (40 CFR 82, Subpt	ed by the U.S. Clean Air Act

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good



Version 1.0

SDS Number: 40000000278

Revision Date: 08/21/2017

National Regulations

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	: Acute Health Hazard
SARA 302	: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489):

Ethanolamine 141-43-5 2.576 % This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

Massachusetts Right To Know		
Sodium Sulfate	7757-82-6	1 - 5 %
Ethanolamine	141-43-5	1 - 5 %
Pennsylvania Right To Know		
Water (Aqua)	7732-18-5	70 - 90 %
Coconut Acid	61788-47-4	5 - 10 %
Oleic Acid	112-80-1	1 - 5 %
Sodium Sulfate	7757-82-6	1 - 5 %
Ethanolamine	141-43-5	1 - 5 %
New Jersey Right To Know		
Water (Aqua)	7732-18-5	70 - 90 %
Coconut Acid	61788-47-4	5 - 10 %
Oleic Acid	112-80-1	1 - 5 %
Sodium Sulfate	7757-82-6	1 - 5 %




Version 1.0	SDS Number: 40000000278	Revision Date: 08/21/20	017	
Ethanolamine)	141-43-5 1 - 5 %		
California Prop 65	This product does not contain of California to cause cancer reproductive harm.	n any chemicals known to Stat , birth defects, or any other	e	
The components of this pro-	The components of this product are reported in the following inventories:			
TSCA	: On TSCA Inventory	-		
AICS	: On the inventory, or in compl	iance with the inventory		
DSL	: On the inventory, or in compl	iance with the inventory		
ENCS	: On the inventory, or in compl	iance with the inventory		
ISHL	: On the inventory, or in compl	iance with the inventory		
KECI	: On the inventory, or in compl	iance with the inventory		
PICCS	: On the inventory, or in compl	iance with the inventory		
IECSC	: On the inventory, or in compl	iance with the inventory		
NZIoC	: On the inventory, or in compl	iance with the inventory		

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION

Further information



Revision Date

: 08/21/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as



Version 1.0

SDS Number: 40000000278

Revision Date: 08/21/2017

a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.